

CORROSION RESISTANT STEEL GATES







OUTA-GATE

BUILT TO LAST

What is OUTA-GATE?

OUTA-GATE offers a practical, durable and attractive alternative to traditional timber gates.

OUTA-GATE is an integral part of a property, creating a physical barrier between public and private areas, maintaining both privacy and security.

Strong and Secure

OUTA-GATE is manufactured using Magnelis® steel as standard.

This revolutionary material offers an industry leading level of corrosion resistance, meaning a 10 year warranty applies in most locations when supported with basic maintenance.

Finished in a Polyester Powder Coating in a choice of colours, OUTA-GATE is a practical and cost effective solution, offering a long lifespan and attractive appearance.





Before

After

Applications

OUTA-GATE is ideal for any application requiring a secure, long lasting and stylish solution such as front or rear garden paths, entrances, access points and driveways with a suitable structure to either side.

The hard wearing and low maintenance properties of OUTA-GATE means that they're particularly beneficial for installations where upkeep needs to be kept to a minimum, for example social housing; student accommodation; rented properties, or retirement, assisted or shared living accommodation.

We can also manufacture double gates for larger and more open areas.

SECURITY & STYLE

Off the Shelf

OUTA-GATE is available in a selection of standard sizes to suit varying structural openings, either 900mm or 1000mm wide, and in a height of 1200mm, 1600mm or 2100mm.

These off-the shelf items come with gate posts and are available with an incredible lead time of just 15 working days.

Hardware Choices

Gates up to 1200mm high will be supplied with a gate latch as standard, with a mortice lock for gates over 1200mm.

We offer a choice of either matt black or stainless steel hardware to suit your preferences, and this covers all aspects – handles, latches, escutcheons and hinges.

Bespoke Choices

Looking for something a little different?

We can also manufacture gates to custom sizes on request to ensure the perfect fit (extended lead time applies).



COLOURS

STANDARD COLOURS

Traffic White RAL 9016





Moorland Green BS12B21

SPECIFICATION

Why choose OUTA-GATE?

Long lasting and low maintenance, our corrosion resistant steel gates require less upkeep and provide a longer lifespan than traditional timber alternatives, providing security and reassurance without compromising on style.

OUTA-GATE is a durable, low-maintenance steel gate designed to last. Manufactured using Magnelis® steel as standard, our steel gate resists corrosion for much longer than standard galvanised products, which is reflected in our unrivalled 10 years anti-corrosion warranty.

About MAGNELIS®

Magnelis® is a game – changer in the world of metallic coating, offering unparalleled corrosion protection. It is manufactured using a hot-dip galvanised process, where it is immersed in a unique molten bath composed of zinc, 3.5% aluminium and 3% magnesium, giving its distinctive chemical properties.

This metallic coating forms a very dense, stable, and durable layer of protection, which prevents the underlying steel from encountering the ambient environment. It therefore gives all shaped steel the same level of protection as flat surfaces.

By comparing Magnelis® alongside galvanised steel, from our 1000-hour salt spray test, the results clearly demonstrated that Magnelis® resists corrosion for much longer than standard galvanised products.



Galvanised Steel 20 µm after 6 weeks



Magnelis® 20 µm after 34 weeks


MATERIAL

Leaf I.2mm Magnelis® Gate Posts I.5mm Magnelis®

THICKNESS

55mm

DESIGN



STANDARD SIZES

Structural width 900mm or 1000mm Gate post height 1200mm, 1600mm or 2100mm

INFILL

Leaf Honeycomb Gate Posts None

BESPOKE SIZES

Available on request to an extended lead time

GATE POSTS

Two sided F frame with capped jambs and no frame head

COLOURS


Available in a choice of 4 PPC colours as standard. Alternative colours are available with an extended lead time

HARDWARE

Range of hardware options available, all in a contemporary black or traditional stainless steel finish

WARRANTY

IO years in C3 / non-corrosive environments 5 years and 3 years respectively in C4 & CS areas





WWW.ROBUST-UK.COM

ROBUST UK LTD

Coaldale Road, Lymedale Business Park. Newcastle-under-Lyme Staffordshire ST5 $9\mbox{QX}$

E sales@robust-uk.com T 01782 592900

